



S - 200
Catalogue Product



SPECIFICATIONS

Environment	Indoors and outdoors
Drive system	Screw-driven
Rate load	Up to 400Kg/5persons
Speed	0.15 m/sec (9m/min)
Travel height	Up to 13m/extended to 17m
Landings	Up to 6
Platform dimensions (XxY,mm)	1100 x 1400 1070 x 1485
*available custom dimensions	1150 x 1485
Shaft dimensions (M x N, mm)	1500 x 1460 1460 x 1540 1540 x 1540
Door clearance (width x height, mm)	900 x 2000 (with 1100 x 1400 platform) 940 x 2000
*available other dimensions	900 x 1300 (with 1100 x 1400 platform)
Gate (width x height, mm)	940 x 1300 right or left swing, up to 3 doors per landing
Door configuration	Alumunium profiles with glass or steel panels
Shaft walls	RAL 9006 (light grey alumunium)
Standard colors	RAL 9006 (light grey alumunium)
*any RAL color available as option	Comes as a standard
Soft start/stop	220-230V, 1phase, 25A; 380-400V, 3phase, 16A,
Power supply	50 or 60 Hz
Motor	2,2 kW
Noise level	Less than 70 dB
Control system	Micro computer based
Technical safety equipment	Safety edge around the platform, emergency

**Complies with the European platform lifts standard EN81-41:2010*

S - 200 Home lift

S - 200 is a screw driven vertical platform lift assembled using high quality materials and designed to meet the characteristics of ultimate performance and outstanding aesthetics. It is designed to use in private houses, cottages and apartment buildings.

S - 200 can be installed into existing shaft or it's own shaft which is constructed of special multilayered steel sandwich type panels or glass panels.



A maximum of three doors may be installed on each floor with either left or right swing. The doors on the top floor stop may be designed in the form of gates. This type of construction looks

aesthetic and modern and gives a clear view of the surroundings.


A uniformly backlit control panel, with a comfortable handle below, contains large buttons with embossed symbols at a convenient height for accessing from sitting or standing positions. A backup power source ensures that the elevator can be used to evacuate people from it, in the event of a power outage.

A low-angle, upward-looking photograph of a modern home lift. The lift's interior features a dark wood-grain floor and a white metal frame with vertical bars. The lighting is dramatic, with a warm glow from the left side and a cooler, blue-toned light from the top, creating a sense of depth and architectural detail.



S - 200 LED CONTROL

HOME LIFT with Flexible design,
you can custom any LED
for make a good looking.


LED CONTROL PANEL



LED WALL PANEL



S - 200 Products Overview Colours & Model



RAL 9005 - BLACK



DB703 - DARK GREY



RAL 9010 - PURE WHITE



RAL 6021 - PALE GREEN




RAL 7008 - KHAKI GREY



RAL 2003 - PASTEL ORANGE

*See More Detail Ral Colors (RAL Brochure)




DIFFERENT DOOR TYPES

Gates; Aluminum with glass; With Impost; Aluminum; Fire proof EI60; Fire proof EW60 – with a small window.



PANELS

Platform lift shaft can be assembled using multi-layered sandwich panels and laminated glass panels.




AUTOMATIC DOOR OPENERS

Internal or external door openers opens and closes the door automatically after a preset time. Can be ordered as option.




COLOUR CUSTOMISATION

The whole lift can be painted in almost any colour to suit your taste and environment. You can choose from hundreds of RAL palette colours available.



PLATFORM LIFT COMPONENT

As a good Home Lift Quality, our lift has an Emergency button in our platform, which makes you satisfied while using it at home.



OPTIONS

- * Automatic door openers
- * Additional floor indicators
- * Automatic emergency lowering
- * LED lighting
- * Extra lighting options
- * Voice announcer
- * Floor indicator on the platform or landing
- * Ramp
- * Phone on the platform
- * AUTODAILER
- * Access restriction options



FLOORING

Lift platform floor can be covered with different colour rubber or desired texture vinyl.

Double Swing Doors
Automatic Only

S - 200 DOOR TYPES



Single Swing Door

Manual/Automatic



How Many Ways to Call Your Home Lift?

In terms of accessories, the Orka 200 product has a variety of optional features that are varied and endless, including several ways to call the Home lift in your residence.

S - 200 optional call your Lift



STANDARD BUTTON

The standard lift button is provided by the factory, to call the lift according to your destination floor



FINGER PRINT

Security and privacy are always a concern for customers when using elevators in their private residences.



GOOGLE HOME

A smartphone is something that will not be out of your hands nowadays, there are many uses that can be obtained, one of which is that you can call an elevator from a smartphone



GOOGLE VOICE

Voice commands are something that really makes things easier and makes everything lighter, and doesn't require a lot of effort to do, like Google Voice which can be installed



KINTICS

www.kintics.com

Jakarta

JL. H.R. RASUNA SAID KAV. C-22, LT. 2
RUANG 210 RT. 002 RW. 005, KARET
KUNINGAN, SETIABUDI, KOTA ADM.
JAKARTA SELATAN, DKI JAKARTA